Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)





# SAFETY DATA SHEET

QUICK DRYING WOOD PRIMER UNDERCOAT

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Product name	:	QUICK DRYING WOOD PRIMER UNDERCOAT
1.2. Relevant identified uses	of	the substance or mixture and uses advised against
Product use	:	Waterborne coating for interior and exterior use.
1.3. Details of the supplier of the safety data sheet		
		ICI Paints AkzoNobel, Wexham Road,
		Slough,
		Berkshire, SL2 5DS, U.K.
		Tel.: +44 (0) 333 222 70 70
		www.duluxtrade.co.uk
e-mail address of person responsible for this SDS	-	duluxtrade.advice@akzonobel.com
1.4 Emergency telephone number		
Telephone number	:	Emergency Telephone : Slough +44 (0) 1753 550000

Version	:	13
Date of previous issue	:	15-7-2014.

# **SECTION 2: Hazards identification**

2.1. Classification of the su	bstance or mixture
Product definition	: Mixture
Classification according to Not classified.	D Regulation (EC) No. 1272/2008 [CLP/GHS]
Ingredients of unknown toxicity	: 0%
Ingredients of unknown ecotoxicity	: 0%
Classification according to	Directive 1999/45/EC [DPD]
The product is not classifie	d as dangerous according to Directive 1999/45/EC and its amendments.
Classification	: Not classified.
See Section 16 for the full te	ext of the R phrases or H statements declared above.
See Section 11 for more det	ailed information on health effects and symptoms.

# **SECTION 2: Hazards identification**

2.2. Label elements			
Signal word	:	No signal word.	
Hazard statements	:	No known significant effects or critical hazards.	
Precautionary statements			
General	:	P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.	
Prevention	:	P262 - Do not get in eyes, on skin, or on clothing.	
Response	:	312 - Call a POISON CENTER or physician if you feel unwell.	
Storage	:	Not applicable.	
Disposal	1	P501 - Dispose of contents and container in accordance with all local, regional, national or international regulations.	
Supplemental label elements	:	Contains 1,2-benzisothiazol-3(2H)-one and reaction mass of: 5-chloro-2-methyl- 4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.	
Special packaging requirements			
Containers to be fitted with child-resistant fastenings	:	Not applicable.	
Tactile warning of danger	;	Not applicable.	
2.3. Other hazards			

Other hazards which do : None known. not result in classification

# **SECTION 3: Composition/information on ingredients**

**3.2 Mixtures** 

: Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

# **SECTION 4: First aid measures**

4.1. Description of first aid r	neasures
General	: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	: If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### 4.2. Most important symptoms and effects, both acute and delayed

QUICK DRYING WOOD PRIMER UNDERCOAT

# **SECTION 4: First aid measures**

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

SECTION 5: Firefighting measures		
5.1. Extinguishing media Suitable extinguishing media	: Recommended: alcohol-resistant foam, CO <sub>2</sub> , powders, water spray.	
Unsuitable extinguishing media	: Do not use water jet.	
5.2. Special hazards arising	om the substance or mixture	
Hazards from the substance or mixture	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.	
5.3. Advice for firefighters		
Special protective actions for fire-fighters	: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.	

# **Special protective** : Appropriate breathing apparatus may be required.

equipment for fire-fighters

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, pr	ote	ective equipment and emergency procedures
For non-emergency personnel	1	Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2. Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.
6.3. Methods and material for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.
6.4. Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.</li> <li>When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour to apour to apour concentration has fallen below the exposure limits.</li> </ul>
7.2 Conditions for safe storage, including any incompatibilities	<ul> <li>Store in accordance with local regulations.</li> <li>Notes on joint storage Keep away from: oxidising agents, strong alkalis, strong acids.</li> <li>Additional information on storage conditions Store in a dry, cool and well-ventilated area. Keep container tightly closed. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.</li> </ul>
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

### 8.1 Control parameters

### **Occupational exposure limits**

No exposure limit value known.

If this product contains ingredients with exposure limits, personal, workplace **Recommended monitoring** 2 atmosphere or biological monitoring may be required to determine the procedures effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres -General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

No DNELs/DMELs available.

### **PNECs**

No PNECs available

### 8.2 Exposure controls

Appropriate engineering controls

: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction.

# SECTION 8: Exposure controls/personal protection

Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Use safety eyewear designed to protect against splash of liquids.
Skin protection	

### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

$\sim$		
1.4	<b>NVDC</b>	
<b>U</b>	0103	

: For prolonged or repeated contact use protective gloves. Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred. Skin should be washed after contact.

Use chemical resistant gloves classified under Standard EN 374: Protective gloves against chemicals and micro-organisms. Recommended gloves: Viton® or Nitrile

Breakthrough Time: 480 min

When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time greater than 480 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended.

NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

Body protection	: Not applicable.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
<b>Respiratory protection</b>	: Vsually no respiratory protection required.
	Respiratory protection in case of dust or spray mist formation. (particle filter EN143 type P2). Respiratory protection in case of vapour formation. (half mask with combination filter A2-P2 till concentrations of 0,5 Vol%.).

# **SECTION 8: Exposure controls/personal protection**

Environmental exposure : Do not allow to enter drains or watercourses. controls

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance		
Physical state	:	Liquid.
Colour	:	Not available.
Odour	:	Not available.
Odour threshold	:	Not available.
рН	1	Not available.
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	100°C
Flash point	:	Not applicable.
Evaporation rate	:	Not available.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	:	Not available.
Vapour density	:	Not available.
Relative density	:	1,376
Solubility(ies)	:	Easily soluble in the following materials: cold water.
Solubility in water	:	Not available.
Partition coefficient: n-octanol/ water	1	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic (room temperature): 5,09 cm <sup>2</sup> /s
Explosive properties	:	Not available.
Oxidising properties	:	Not available.
9.2. Other information		

No additional information.

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2. Chemical stability	;	Stable under recommended storage and handling conditions (see Section 7).
10.3. Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4. Conditions to avoid	:	When exposed to high temperatures may produce hazardous decomposition products.
10.5. Incompatible materials	:	Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.
10.6. Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

There are no data available on the mixture itself. The mixture is not classified as dangerous according to Directive 1999/45/EC and its amendments.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

	·····
Acute toxicity	
<b>Conclusion/Summary</b>	: Not available.
Acute toxicity estimates	
Not available.	
Irritation/Corrosion	
<b>Conclusion/Summary</b>	: Not available.
Sensitisation	
<b>Conclusion/Summary</b>	: Not available.
Mutagenicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not available.
Teratogenicity	
<b>Conclusion/Summary</b>	: Not available.
Specific target organ toxic	<u>ity (single exposure)</u>
Not available.	
Specific target organ toxic	ity (repeated exposure)
Not available.	

### Aspiration hazard

Not available.

### Other information

: Not available.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

**Conclusion/Summary** : Not available.

Date of issue/Date of revis	sion : 20-9-2014.
vPvB	: Not applicable.
	P: Not available. B: Not available. T: Not available.
PBT	: Not applicable.
12.5. Results of PBT and	vPvB assessment
Mobility	: Not available.
Soil/water partition coefficient (Koc)	: Not available.
12.4. Mobility in soil	
12.3. Bioaccumulative pot	tential
Conclusion/Summary	: Not available.
12.2. Persistence and deg	radability

QUICK DRYING WOOD PRIMER UNDERCOAT

# **SECTION 12: Ecological information**

vP: Not available. vB: Not available.

**12.6. Other adverse effects** 

: No known significant effects or critical hazards.

**SECTION 13: Disposal considerations** 

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### **13.1 Waste treatment methods**

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Disposal considerations	<ul> <li>Do not allow to enter drains or watercourses.</li> <li>Dispose of according to all federal, state and local applicable regulations.</li> <li>If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.</li> <li>For further information, contact your local waste authority.</li> </ul>
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations	<ul> <li>Ising information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.</li> </ul>
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR	IMDG
14.1. UN number	Not regulated.	Not regulated.
14.2. UN proper shipping name	-	-
14.3. Transport hazard class(es) Class	_	-
Subsidiary class	-	-
14.4. Packing group	-	-
14.5. Environmental hazards		
Marine pollutant	No.	No.
Marine pollutant substances		Not available.
Date of issue/Date of r	evision : 20-9-2014.	Page: 8/10

QUICK DRYING	VOOD PRIMER UNDERCOAT			
SECTION 14: Transport information				
14.6. Special precautions for user	<b>Transport within user's premises:</b> always trans secure. Ensure that persons transporting the pro- or spillage.			
HI/Kemler number	Not available.			
Emergency schedules (EmS)		Not applicable.		
14.7 Transport in bu according to Annex MARPOL 73/78 and Code	ll of			
Additional information	-	-		
<b>SECTION 15:</b>	Regulatory information			
-	and environmental regulations/legislation spec	cific for the substance or mixture		
	<u>) No. 1907/2006 (REACH)</u>			
	f substances subject to authorisation			
Annex XIV				
None of the comp	onents are listed.			
Substances of ve	ery high concern			
None of the comp	onents are listed.			
Annex XVII - Rest				
on the manufactu				
placing on the ma and use of certain				
dangerous substa				
mixtures and artic				
Other EU regulatio	<u>ns</u>			
VOC	: Not available.			
Europe inventory	: At least one component is not listed.			
Seveso II Directive	-			
This product is not	- controlled under the Seveso II Directive.			
International regula				
	Convention List Schedules I, II & III Chemicals			
Not listed.				
<u>Montreal Protocol (Annexes A, B, C, E)</u>				
Not listed.				
Stockholm Conven Not listed.	<u>tion on Persistent Organic Pollutants</u>			
Rotterdam Conven	Rotterdam Convention on Prior Inform Consent (PIC)			
Not listed.				
LINECE Aarbus Pro	otocol on POPs and Heavy Metals			
Not listed.	Access on the stand meany metals			
15.2 Chemical Safe Assessment	ty : Not applicable.			

# **SECTION 16: Other information**

CEPE code	:	7
Indicates information that h	as	changed from previously issued version.
Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classi	fication	Justification
Not classified.		
Full text of abbreviated H statements	: Not applicable.	
Full text of classifications [CLP/GHS]	: Not applicable.	
Full text of abbreviated R phrases	: Not applicable.	
Full text of classifications [DSD/DPD]	: Not applicable.	
Date of printing	: 24-9-2014.	
Date of issue/ Date of revision	: 20-9-2014.	
Date of previous issue	: 15-7-2014.	
Version	: 13	
Notice to reader		

# IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

### Head Office

Akzo Nobel Decorative Coatings B.V, Rijksstraatweg 31, 2171 AJ Sassenheim, the Netherlands